



DESK SCREENS

ezoBord



ezoBord Desk Screens are a great way to absorb sound, add privacy, color and style in any open plan work space, enhancing speech intelligibility making every office space a better place to work in.

A new generation surface material that both absorbs noise and is fully tackable.

Not just another desk divider... ezoBord desk screens are a welcome addition to any open plan office and are totally customizable for size, shape, hole pattern and color. They are also available in single or double layer to fit any budget or design. ezoBord desk screens are a great, eco-friendly alternative to fabric-covered desk screens.

Made with recycled plastic water bottles.

STANDARD SHAPES



Straight Desk Screen

PART NUMBER	WIDTH	LENGTH
dsc-sgt-4812	48" (1219mm)	12" (305mm)
dsc-sgt-5412	54" (1372mm)	12" (305mm)
dsc-sgt-6012	60" (1524mm)	12" (305mm)
dsc-sgt-6612	66" (1676mm)	12" (305mm)
dsc-sgt-7212	72" (1829mm)	12" (305mm)
dsc-sgt-4816	48" (1219mm)	16" (406mm)
dsc-sgt-5416	54" (1372mm)	16" (406mm)
dsc-sgt-6016	60" (1524mm)	16" (406mm)
dsc-sgt-6616	66" (1676mm)	16" (406mm)
dsc-sgt-7216	72" (1829mm)	16" (406mm)
dsc-sgt-4824	48" (1219mm)	24" (610mm)
dsc-sgt-5424	54" (1372mm)	24" (610mm)
dsc-sgt-6024	60" (1524mm)	24" (610mm)
dsc-sgt-6624	66" (1676mm)	24" (610mm)
dsc-sgt-7224	72" (1829mm)	24" (610mm)

When ordering, please also indicate single layer ($\frac{1}{2}$ " [12mm]) or double layer ($\frac{3}{4}$ " [18mm]) screen. Please note that all dimensions are nominal, supplier reserves the right to adjust sizing without prior notification.

STANDARD SHAPES



Camelback Desk Screen

PART NUMBER	WIDTH	LENGTH
dsc-cmb-4812	48" (1219mm)	12" (305mm)
dsc-cmb-5412	54" (1372mm)	12" (305mm)
dsc-cmb-6012	60" (1524mm)	12" (305mm)
dsc-cmb-6612	66" (1676mm)	12" (305mm)
dsc-cmb-7212	72" (1829mm)	12" (305mm)
dsc-cmb-4816	48" (1219mm)	16" (406mm)
dsc-cmb-5416	54" (1372mm)	16" (406mm)
dsc-cmb-6016	60" (1524mm)	16" (406mm)
dsc-cmb-6616	66" (1676mm)	16" (406mm)
dsc-cmb-7216	72" (1829mm)	16" (406mm)
dsc-cmb-4824	48" (1219mm)	24" (610mm)
dsc-cmb-5424	54" (1372mm)	24" (610mm)
dsc-cmb-6024	60" (1524mm)	24" (610mm)
dsc-cmb-6624	66" (1676mm)	24" (610mm)
dsc-cmb-7224	72" (1829mm)	24" (610mm)

When ordering, please also indicate single layer ($\frac{1}{2}$ " [12mm]) or double layer ($\frac{3}{4}$ " [18mm]) screen.

Please note that all dimensions are nominal, supplier reserves the right to adjust sizing without prior notification.

STANDARD SHAPES




Elliptical Desk Screen

PART NUMBER	WIDTH	LENGTH
dsc-elp-4812	48" (1219mm)	12" (305mm)
dsc-elp-5412	54" (1372mm)	12" (305mm)
dsc-elp-6012	60" (1524mm)	12" (305mm)
dsc-elp-6612	66" (1676mm)	12" (305mm)
dsc-elp-7212	72" (1829mm)	12" (305mm)
dsc-elp-4816	48" (1219mm)	16" (406mm)
dsc-elp-5416	54" (1372mm)	16" (406mm)
dsc-elp-6016	60" (1524mm)	16" (406mm)
dsc-elp-6616	66" (1676mm)	16" (406mm)
dsc-elp-7216	72" (1829mm)	16" (406mm)
dsc-elp-4824	48" (1219mm)	24" (610mm)
dsc-elp-5424	54" (1372mm)	24" (610mm)
dsc-elp-6024	60" (1524mm)	24" (610mm)
dsc-elp-6624	66" (1676mm)	24" (610mm)
dsc-elp-7224	72" (1829mm)	24" (610mm)

When ordering, please also indicate single layer ($\frac{1}{2}$ " [12mm]) or double layer ($\frac{3}{4}$ " [18mm]) screen.

Please note that all dimensions are nominal, supplier reserves the right to adjust sizing without prior notification.

STANDARD SHAPES




Square Holes Desk Screen

PART NUMBER	WIDTH	LENGTH
dsc-sqr-4812	48" (1219mm)	12" (305mm)
dsc-sqr-5412	54" (1372mm)	12" (305mm)
dsc-sqr-6012	60" (1524mm)	12" (305mm)
dsc-sqr-6612	66" (1676mm)	12" (305mm)
dsc-sqr-7212	72" (1829mm)	12" (305mm)
dsc-sqr-4816	48" (1219mm)	16" (406mm)
dsc-sqr-5416	54" (1372mm)	16" (406mm)
dsc-sqr-6016	60" (1524mm)	16" (406mm)
dsc-sqr-6616	66" (1676mm)	16" (406mm)
dsc-sqr-7216	72" (1829mm)	16" (406mm)
dsc-sqr-4824	48" (1219mm)	24" (610mm)
dsc-sqr-5424	54" (1372mm)	24" (610mm)
dsc-sqr-6024	60" (1524mm)	24" (610mm)
dsc-sqr-6624	66" (1676mm)	24" (610mm)
dsc-sqr-7224	72" (1829mm)	24" (610mm)

When ordering, please also indicate single layer ($\frac{1}{2}$ " [12mm]) or double layer ($\frac{3}{4}$ " [18mm]) screen. Please note that all dimensions are nominal, supplier reserves the right to adjust sizing without prior notification.

STANDARD SHAPES




Circular Holes Desk Screen

PART NUMBER	WIDTH	LENGTH
dsc-cir-4812	48" (1219mm)	12" (305mm)
dsc-cir-5412	54" (1372mm)	12" (305mm)
dsc-cir-6012	60" (1524mm)	12" (305mm)
dsc-cir-6612	66" (1676mm)	12" (305mm)
dsc-cir-7212	72" (1829mm)	12" (305mm)
dsc-cir-4816	48" (1219mm)	16" (406mm)
dsc-cir-5416	54" (1372mm)	16" (406mm)
dsc-cir-6016	60" (1524mm)	16" (406mm)
dsc-cir-6616	66" (1676mm)	16" (406mm)
dsc-cir-7216	72" (1829mm)	16" (406mm)
dsc-cir-4824	48" (1219mm)	24" (610mm)
dsc-cir-5424	54" (1372mm)	24" (610mm)
dsc-cir-6024	60" (1524mm)	24" (610mm)
dsc-cir-6624	66" (1676mm)	24" (610mm)
dsc-cir-7224	72" (1829mm)	24" (610mm)

When ordering, please also indicate single layer ($\frac{1}{2}$ " [12mm]) or double layer ($\frac{3}{4}$ " [18mm]) screen. Please note that all dimensions are nominal, supplier reserves the right to adjust sizing without prior notification.

STANDARD SHAPES



Rectangular Modesty Screen



Rectangular Modesty Panel

PART NUMBER	WIDTH	LENGTH	THICKNESS
Rectangular Modesty Screen			
mpd-rec-4840	48" (1219mm)	40" (1016mm)	¾" (18mm)
mpd-rec-5440	54" (1372mm)	40" (1016mm)	¾" (18mm)
mpd-rec-6040	60" (1524mm)	40" (1016mm)	¾" (18mm)
mpd-rec-6640	66" (1676mm)	40" (1016mm)	¾" (18mm)
mpd-rec-7240	72" (1829mm)	40" (1016mm)	¾" (18mm)
Rectangular Modesty Panel			
mps-rec-4824	48" (1219mm)	24" (610mm)	¾" (9mm)
mps-rec-5424	54" (1372mm)	24" (610mm)	¾" (9mm)
mps-rec-6024	60" (1524mm)	24" (610mm)	¾" (9mm)
mps-rec-6624	66" (1676mm)	24" (610mm)	¾" (9mm)
mps-rec-7224	72" (1829mm)	24" (610mm)	¾" (9mm)

Please note that all dimensions are nominal, supplier reserves the right to adjust sizing without prior notification.

STANDARD SHAPES



Crescent Modesty Screen



Crescent Modesty Panel

PART NUMBER	WIDTH	LENGTH	THICKNESS
Crescent Modesty Screen			
mpd-cst-4840	48" (1219mm)	40" (1016mm)	¾" (18mm)
mpd-cst-5440	54" (1372mm)	40" (1016mm)	¾" (18mm)
mpd-cst-6040	60" (1524mm)	40" (1016mm)	¾" (18mm)
mpd-cst-6640	66" (1676mm)	40" (1016mm)	¾" (18mm)
mpd-cst-7240	72" (1829mm)	40" (1016mm)	¾" (18mm)
Crescent Modesty Panel			
mps-cst-4824	48" (1219mm)	24" (610mm)	⅜" (9mm)
mps-cst-5424	54" (1372mm)	24" (610mm)	⅜" (9mm)
mps-cst-6024	60" (1524mm)	24" (610mm)	⅜" (9mm)
mps-cst-6624	66" (1676mm)	24" (610mm)	⅜" (9mm)
mps-cst-7224	72" (1829mm)	24" (610mm)	⅜" (9mm)

Please note that all dimensions are nominal, supplier reserves the right to adjust sizing without prior notification.

STANDARD SHAPES



Elliptical Modesty Screen



Elliptical Modesty Panel

PART NUMBER	WIDTH	LENGTH	THICKNESS
Elliptical Modesty Screen			
mpd-elp-4840	48" (1219mm)	40" (1016mm)	¾" (18mm)
mpd-elp-5440	54" (1372mm)	40" (1016mm)	¾" (18mm)
mpd-elp-6040	60" (1524mm)	40" (1016mm)	¾" (18mm)
mpd-elp-6640	66" (1676mm)	40" (1016mm)	¾" (18mm)
mpd-elp-7240	72" (1829mm)	40" (1016mm)	¾" (18mm)
Elliptical Modesty Panel			
mps-elp-4824	48" (1219mm)	24" (610mm)	⅜" (9mm)
mps-elp-5424	54" (1372mm)	24" (610mm)	⅜" (9mm)
mps-elp-6024	60" (1524mm)	24" (610mm)	⅜" (9mm)
mps-elp-6624	66" (1676mm)	24" (610mm)	⅜" (9mm)
mps-elp-7224	72" (1829mm)	24" (610mm)	⅜" (9mm)

Please note that all dimensions are nominal, supplier reserves the right to adjust sizing without prior notification.

STANDARD SHAPES



Study Carrel - Round Edges




Study Carrel - Square Edges

PART NUMBER	WIDTH	LENGTH	DEPTH	SIDE	BACK
Round Edges					
stc-rnd-2448	48" (1219mm)	24" (610mm)	24" (610mm)	3/8" (9mm)	3/4" (18mm)
stc-rnd-2460	60" (1524mm)	24" (610mm)	24" (610mm)	3/8" (9mm)	3/4" (18mm)
stc-rnd-2472	72" (1829mm)	24" (610mm)	24" (610mm)	3/8" (9mm)	3/4" (18mm)
Square Edges					
stc-sqr-2448	48" (1219mm)	24" (610mm)	24" (610mm)	3/8" (9mm)	3/4" (18mm)
stc-sqr-2460	60" (1524mm)	24" (610mm)	24" (610mm)	3/8" (9mm)	3/4" (18mm)
stc-sqr-2472	72" (1829mm)	24" (610mm)	24" (610mm)	3/8" (9mm)	3/4" (18mm)

Please note that all dimensions are nominal, supplier reserves the right to adjust sizing without prior notification.

STANDARD SHAPES



Return Screen


PART NUMBER	WIDTH	LENGTH	THICKNESS
rsc-qtr-2416	24" (610mm)	16" (406mm)	3/8" (9mm)
rsc-qtr-3016	30" (762mm)	16" (406mm)	3/8" (9mm)
rsc-qtr-2424	24" (610mm)	24" (610mm)	3/4" (18mm)
rsc-qtr-3024	30" (762mm)	24" (610mm)	3/4" (18mm)

Please note that all dimensions are nominal, supplier reserves the right to adjust sizing without prior notification.

COMPONENTS



Screen(s)




RECOMMENDED HARDWARE (NOT INCLUDED)



Surface Mount
PJ-3



Surface Mount
PJ-9



Under Mount
PJ-4



CUSTOMIZABLE PARAMETERS

Geometric Properties

Length and width.

Material Thickness

Select desk screens available in $\frac{3}{8}$ " (9mm)
or $\frac{1}{2}$ " (12mm)

Color

Each panel can be manufactured with
different color



SPECIFICATIONS

Shapes

Standard desk screens available in 5 shapes. Study Carrels available in 2 shapes. Modesty Panels available in 3 shapes. Modesty Screens available in 3 shapes. Return screen available in 1 shape.

Thickness

Available in two material thicknesses:

- 3/8" (9mm) | ±0.5mm
- 1/2" (12mm) | ±0.5mm

Composition

100% PET (min. %50 recycled content)

Product Variances

Variation in fiber mix and colour may occur. All products will be supplied within commercial tolerances.

Cleaning

Remove dust and dirt with a stiff plastic bristle brush. Distilled water can be used to remove stains. Always use a soft, clean cloth and blot dry. Vacuuming works great as well.

Fire Testing

- North America:
 - ASTM E-84 Class A*
 - CAN ULC S102-10
- Europe and UK:
 - EN13501-1: 2007

Installation

Can be installed on any worksurface using our universal bracket hardware system.

Acoustics

Refer to ASTM C423 test chart for specific absorption rates/frequency.

- 3/8" (9mm): NRC 0.75 (subject to mounting conditions and geometrical properties)
- 1/2" (12mm): NRC 0.85 (subject to mounting conditions and geometrical properties)

USGBC LEED v4 Credits

While individual products do not 'earn' LEED credits, ezoBord can contribute to the following LEED v4 Credits. Please refer to the USGBC LEED credit guides for detailed requirements.

- EQc9 for enhancing acoustic performance
- MRc3 BPDO for sourcing of raw materials for recycled contribution
- EQc6 interior lighting for surface reflectance (lighter color options).

Environment

Made of polyester fiber, min. 50% of which comes from recycled water bottles which contributes to LEED MR Credit and BREEAM Health and Wellbeing, Materials points due to recycled content, acoustic performance, and low emitting materials. No VOC's: CDPH v1.2 and REACH SVHC Compliant.



* Upon request, 1/2"(12mm) sheet material is treated with USA origin post-production flame retardant to Class A surface burning characteristics. Post sheet production FR treatment does not contain any Red List Restricted Chemicals and complies with California Proposition 65. Contact customer service for technical information, test data and safety data sheets for flame retardant.

NOISE REDUCTION - 3/8" (9mm)

Constructed from


3/8" (9mm) ezoBord

Mount Method

D50 Mount Wall Panel

SOUND ABSORPTION COEFFICIENTS (ASTM C423-17)

NRC	SAA	125	250	500	1000	2000	4000
0.75	0.76	0.13	0.33	0.70	0.98	1.03	0.93



NOISE REDUCTION - 3/8" (9mm)

Constructed from


3/8" (9mm) ezoBord

Mount Method

Direct Mount

SOUND ABSORPTION COEFFICIENTS (ASTM C423-17)

NRC	SAA	125	250	500	1000	2000	4000
0.31	0.30	0.08	0.06	0.16	0.39	0.62	0.79



STANDARD COLORS - 3/8" (9mm)



PB09
PURE BLACK



CG06
CHARCOAL GRAY




ES07
EBONY SLATE




DG34
DARK GRAY




SG04
SILVER GRAY



CW04
CLASSIC WHITE



LB01
LIGHT BEIGE



DS10
DESERT SAND



SD18
SUNNY DAYS



TO24
TIGER ORANGE



RR28
RUBY RED



DP30
DEEP PURPLE



MN12
MIDNIGHT NAVY



PI14
POLAR ICE



GA41
GREEN APPLE

STANDARD COLORS - 1/2" (12mm)




PB09
PURE BLACK



CG06
CHARCOAL GRAY



BG07
BOLD GRAY



EG11
ELEPHANT GRAY



SG04
SILVER GRAY



CW04
CLASSIC WHITE




DS10
DESERT SAND



TB35
TREE BARK



SD18
SUNNY DAYS



BR34
BRICK RED



GV36
GRAPE VINE



RB08
ROYAL BLUE



PI14
POLAR ICE



OB14
OCEAN BLUE




MG10
MOSS GREEN



CONNECT WITH US

www.ezoBord.com

 [@ezobord](https://www.instagram.com/ezobord)

 [@ezobord](https://twitter.com/ezobord)

 [linkedin.com/company/ezobord](https://www.linkedin.com/company/ezobord)

ezoBord is a registered trademark of iVekter Inc.

CANADA

Ayrsonics Inc.
825 Trillium Drive
Kitchener ON N2R 1J9
1-844-441-1122
sales@ayrsonics.com

UNITED KINGDOM

ezoBord UK LTD
Unit 20
Westwood Business Park
Margate, Kent, CT9 4JJ
+44 7981 111236
sales@ezobord.co.uk